




Supplement Measurement Form For CUTTER and KETCH rigs.




Customer: _____ Boat Type: _____ ID: _____

Boat Name: _____


MIZZEN MAINSAILS

Section 1: MIZZEN MAST AND BOOM:

- Py:** Maximum Luff Length _____ m.
Please indicate if P was taken to Black Band or to Maximum Halyard Hoist
- H:** Approximate width at Mast Top _____ mm.
(Estimate from deck level - use mast width as a guide)
- Ey:** Maximum Foot Length _____ m.
Please indicate if E was taken to Black Band/Clew of Mainsail or to end of boom
- C:** Backstay to end of Boom casting horizontally _____ mm.
- D:** End of boom to Black Band / Clew _____ mm.
- X:** Tack attachment set back from Mast. _____ mm.
- Z:** Reef Horn Setback from Mast. _____ mm.
- Y:** Top of boom to Mast Gate/Sail or Slider entry _____ mm.
- BAD:** Top of boom down to Mast Base _____ mm.
- R:** Mast Base Height vertically above Waterline _____ mm.
- S:** Front of Mizzen Mast Base to Front of Main Mast _____ mm.
- Mast Manufacturer:** _____
- Luff Rope Diameter:** (if no sliders) _____ mm.
- Foot Rope Diameter:** (if rope footed) _____ mm.




Section 2: SAIL SLIDER IDENTIFICATION:




HA158, HA258, HA358

Nb. If slide is other than those shown, please provide details or a sample.



HA89, HA90




HA458, HA558

Fitting Number	Alternate Fitting #	x mm	y1 mm	z1 mm	z2 mm	y2 mm	TICK BELOW
HA158	A016	22	29	8	3	9	<input type="checkbox"/>
HA258	A017	50	40	14	3	11	<input type="checkbox"/>
HA358	A018	22	30	12	3	12	<input type="checkbox"/>
HA89	A007	32	21	15	7	4	<input type="checkbox"/>
HA90	A008	35	23	18	9	4	<input type="checkbox"/>
HA91	A009	39	25	21	8	5	<input type="checkbox"/>
HA458	A014	35	29	13.8	4	6	<input type="checkbox"/>
HA558	A013	25	22	10.5	4	3	<input type="checkbox"/>
511-607 (MDS)	A012	40	30	20	8.5	6.5	<input type="checkbox"/>
511-605 (MDS)	A011 or 2241-1030	30	34	20	10	6.5	<input type="checkbox"/>



Supplement Measurement Form For CUTTER and KETCH rigs.



Customer: _____ ID: _____

CUTTER HEADSAILS

Section 4a: INNER FORETRIANGLE:

Hank-On Sail: Roller Furling Sail:

LL1: Maximum Luff Length _____ m.
For Furling sails: LL must be taken from Top Swivel down to Tack attachment.

Or

FL1: Maximum Luff Length (pin to pin forestay measurement) _____ m.
For Hank-On or Luff Foil sails: FL should be taken using the Genoa Halyard.

MH1: From max hoist of Genoa halyard down to mast base. _____ m.

J1: Mast base to lower forestay pin attachment point _____ m.


C: Tack attachment point to sail entry in Luff groove. _____ mm.

D: Tack attachment point to forestay pin. _____ mm.

G: Distance from aft end of Genoa track down to waterline. _____ mm.

K: Distance from Forward end of Genoa track down to waterline. _____ mm.

Q1: Distance from Inner forestay attachment point to waterline. _____ mm.




Tack Attachment type: Horns Snap Shackle Bar & Pin Deck Ring

The following two points are measured from the Forestay Pin aft & their Distance 'Off Centre Line' (OCL):

FEF: Front of Genoa Track _____ mm. & OCL 1: _____ mm.

F: Length of Genoa Track _____ mm. & OCL 2: _____ mm.



Section 5: INNER FORESTAY / FURLER / FOIL DETAILS:

Please advise the make and model of your Furling / Luff Foil gear.
Alternatively, give details of the rope diameter required to fit your foil.

Make: _____


Model: _____

Groove Type:


Single: Twin:

A: _____ mm.

B: _____ mm.



Starboard UV Port UV



Required UV
Stripe Colour:

The Sail Loft, Unit 16, Sandford Lane Industrial Estate, Wareham, Dorset BH20 4DY

Telephone: +44 (0)1929 554308

Fax: +44 (0)1929 554350

Email: info@kempsails.com

Web: www.kempsails.com